



ROKAnol BP14

PPG-14 Butyl Ether

Local. Global. Integrated.

Description

- liquid lipophilic emollient,
- improves cosmetics spreading,
- vehicle for actives substances,
- very good moisturizing and smoothing properties.

Application

- shampoo,
- hair conditioner,
- serum and essence,
- face cream,
- face cleanser,
- body scrub,
- facial treatment,
- sunscreen,
- deodorant and antiperspirant.



ROKAnol BP14

PPG-14 Butyl Ether

Chemical name	Butyl Ether, propoxylated	
INCI name	PPG-14 Butyl Ether	
CAS number	9003-13-8	
Function	Solvent, skin conditioning agent	
Technical requirements	Appearance at temperature (20÷25)°C	clear liquid
	Colour in Hazen scale (20÷25)°C	max 50
	Viscosity at 25°C, cP	85-105
	Density at 25°C, g/mL	0.978 – 1.008 g/cm ³
	Water, %(m/m)	max 0.25
General data	Molecular weight, g/mol	approx. 900
	Solubility in water at room temperature	insoluble

Delicate cream deodorant

Phase	INCI name	Brand name	Concentration [%]	Function
A	Cocos Nucifera Oil	–	32.00	emollient
A	Cetearyl Alcohol	EXOalc 1618	15.00	emulsifier
A	Butyrospermum Parkii Butter	–	12.00	emollient
A	Mangifera Indica Seed Butter	–	6.50	emollient
A	Cera Alba	–	5.00	emollient
B	Zea Mays Starch	–	7.00	absorbent
B	Tapioca Starch	–	16.00	absorbent
B	Zinc Oxide	–	2.00	bactericidal
C	PPG-14 Butyl Ether	ROKAnol BP14	3.00	conditioning
C	Citrus Aurantium Dulcis Fruit Extract	–	0.50	active
C	Glycerin	–	0.50	humectant
C	Tocopherol	–	0.50	active

Appearance	visual method	paste
pH		3.5 – 5.0

Procedure:

1. In main vessel heat phase A to 70 – 80°C.
2. In a separate vessel prepare phase B and phase C – mix until uniform.
3. Add phase B to A and mix. Next add phase C and mix until uniform.

UV protect hair mask

Phase	INCI name	Brand name	Concentration [%]	Function
A	Aqua	–	72.70	solvent
A	Panthenol	–	2.00	active
B	Glycerin	–	1.00	humectant
B	Cetearyl Alcohol, Ceteareth-20	EXOcare TE20 FLAKES	15.00	emulsifier
B	PPG-14 Butyl Ether	ROKAnol BP14	3.00	conditioning
B	Macadamia Integrifolia Seed Oil	–	1.00	emollient
B	Persea Gratissima Oil	–	1.00	emollient
B	Cocos Nucifera Oil	–	1.00	emollient
C	Triolein (and) Vaccinium Macrocarpon Seed Oil (and) Haematococcus Pluvialis Extract	–	1.00	active
C	Phenoxyethanol, Ethylhexylglycerin	–	0.80	preservative
C	Canola Oil	–	0.50	emollient
C	Tocopherol	–	0.50	active
C	Parfum	–	0.50	fragrance

Appearance visual method white emulsion
pH 5.0 – 6.0

Procedure:

1. In separate vessels combine ingredients from phase A and B. Heat up to 60 – 70°C. Add phase A to phase B while mixing. Homogenize with 2500 – 3500 RPM, 90 – 120 sec.
2. Cool down batch to 30°C while mixing.
3. Mix phase C and add to main beaker. Homogenize with 1500 – 2500 RPM, 90 – 120 sec.

Deeply moisturizing day cream

Phase	INCI name	Brand name	Concentration [%]	Function
A	Aqua	–	78.10	solvent
A	Trehalose, Hydrolyzed Vegetable Protein	–	1.00	active
A	Propanediol, Aqua, Bacillus Ferment	–	1.00	active
A	Panthenol	–	0.50	active
A	Glycerin	–	3.00	humectant
A	Sclerotium Gum, Xanthan Gum	–	0.40	rheology modifier
B	Cetearyl Alcohol	EXOalc 1618 FLAKES	2.00	emulsifier
B	Ceteareth-20	ROKAnol T20	2.00	emulsifier
C	Sodium Polyacrylate	–	0.40	rheology modifier
C	Tocopherol	–	0.60	active
C	PPG-14 Butyl Ether	ROKAnol BP14	4.00	conditioning
C	C12-15 Alkyl Benzoate	EXOsoft AB25	6.00	emollient
C	Phenoxyethanol, Ethylhexylglycerin	–	0.80	preservative
C	Parfum	–	0.20	fragrance

Appearance	visual method	white emulsion
pH		5.0 – 7.0

Procedure:

1. In a beaker mix Sclerotium and Xanthan Gum with Glycerin.
2. In other beaker combine Aqua with active substances (phase A). Mix and heat up to 60 – 70°C. Add Sclerotium and Xanthan Gum with Glycerin.
3. In main vessel mix phase B and heat up to 60 – 70°C.
4. Add phase A to phase B and homogenize with 2500 – 3500 RPM, 90 – 120 sec. Cool the batch down to 40°C while mixing.
5. Mix Sodium Polyacrylate with EXOsoft AB25. Add rest phase C and mix.
6. Add phase C to main beaker, mix and homogenize with 2500 – 3500 RPM, 90 – 120 sec.





PCC Exol SA

Sienkiewicza 4

56-120 Brzeg Dolny, Poland

products@pcc.eu

Please visit our capital group business platform:

www.products.pcc.eu



September 2026

The information in the catalogue is believed to be accurate and compiled to the best of our knowledge; however, it should be considered as introductory only. Detailed information about our products is available in TDS and MSDS.

The suggestions for product applications are based on our best knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application, and for determining product suitability for the user's own purposes rests with the user.

All copyright and trademark rights, as well as other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA or PCC EXOL SA or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply to data used in other publications, electronic information systems, or other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.