

Chemeen C-2

CHEMICAL NAME	POE (2) Cocoamine												
INCI NAME	-												
CAS NUMBER	61791-31-9												
FUNCTION	Emulsifier, Lubricant, Antistatic Agent												
TECHNICAL REQUIREMENTS	<table border="0"> <tr> <td>Color (Gardner).....</td><td>6 Maximum</td></tr> <tr> <td>Neutralization Equivalent</td><td>280 – 310</td></tr> <tr> <td>Water, %</td><td>1.0 Maximum</td></tr> <tr> <td>Tertiary Amine, %</td><td>95 Minimum</td></tr> </table>	Color (Gardner).....	6 Maximum	Neutralization Equivalent	280 – 310	Water, %	1.0 Maximum	Tertiary Amine, %	95 Minimum				
Color (Gardner).....	6 Maximum												
Neutralization Equivalent	280 – 310												
Water, %	1.0 Maximum												
Tertiary Amine, %	95 Minimum												
GENERAL DATA	<table border="0"> <tr> <td>Appearance @ 25°C</td><td>Yellow to Amber Liquid</td></tr> <tr> <td>Specific Gravity @ 25°C.....</td><td>0.87</td></tr> <tr> <td>Pounds Per Gallon.....</td><td>7.25</td></tr> <tr> <td>Aqueous Solubility</td><td>Insoluble</td></tr> <tr> <td>HLB.....</td><td>6.1</td></tr> <tr> <td>Average Molecular Weight.....</td><td>290</td></tr> </table>	Appearance @ 25°C	Yellow to Amber Liquid	Specific Gravity @ 25°C.....	0.87	Pounds Per Gallon.....	7.25	Aqueous Solubility	Insoluble	HLB.....	6.1	Average Molecular Weight.....	290
Appearance @ 25°C	Yellow to Amber Liquid												
Specific Gravity @ 25°C.....	0.87												
Pounds Per Gallon.....	7.25												
Aqueous Solubility	Insoluble												
HLB.....	6.1												
Average Molecular Weight.....	290												
APPLICATION	Chemeen polyoxyethylene fatty amines are mildly cationic surfactants that become more nonionic in nature with increasing ethylene oxide content. These surfactants are substantive to metals, glass, textiles, plastics, and clays. They are used as emulsifiers and lubricant additives in metal and textile lubricants, antistats for textiles and plastics, textile dyeing assistants, detergents in degreaser formulations, and corrosion inhibitors in numerous applications.												

Revision Date: 19.05.2016

Information presented herein has been given in good faith and to the best of our current knowledge and experience. The compliance of specific properties of the supplied product with the data given herein and its fitness for the intended purpose should be checked before the product is used. The producer reserves the right to modify the information presented herein as a result of technological development and improvement of the product by the producer.

PCC Chemax, Inc.
30 Old Augusta Rd.
Piedmont, SC 29673
United States of America

www.pcc-chemax.com