

Rokamin SRK8P4

CHEMICAL NAME	Ethoxylated, oxypropylated and quaternized fatty amine
TECHNICAL REQUIREMENTS	Appearance homogeneous viscous liquid Colour in iodine scale max. 130 pH of 1% solution 4.6 ÷ 7.4 Quaternary ammonium compounds, % (m/m) min. 62
GENERAL DATA	Solubility in water soluble in hot water Other solvents chloroform Density at 20°C, g/ml approx. 1.05 Boiling point, °C above 200 Solidification point, °C approx. 150
APPLICATION	Component of preparations with anti-electrostatic and softening properties for the textile industry and chemical fiber industry.