

## ROFLEX 35

<b>CHEMICAL NAME</b>	phenol isopropylated phosphate
<b>CAS NUMBER</b>	68937-41-7
<b>FUNCTION</b>	Plasticizer
<b>TECHNICAL REQUIREMENTS</b>	<p>Appearance at 20-25 °C..... clear homogenous liquid</p> <p>Acid value, mg KOH/g..... max. 0.1</p> <p>Density at 25 °C, g/mL..... 1.17 - 1.21</p> <p>Viscosity at 25 °C, mPa·s..... 40 - 50</p> <p>Flash point, °C ..... min. 228</p> <p>Phenol content, % (w/w) ..... max. 0.05</p>
<b>GENERAL DATA</b>	<p>Molecular weight, g/mol ..... 326 - 370</p> <p>Solubility in water at 20 °C, mg/L..... 0.330 – 0.367</p> <p>Other solvents..... methanol, ethanol, acetone</p> <p>Odour..... faint, ester</p> <p>Halogen free</p>
<b>APPLICATION</b>	Mainly recommended in PVC formulations, as well as in synthetic rubber industry.

Information presented herein has been given in good faith and to the best of our current knowledge and experience. The compliance of the specific properties of the supplied product with the data given herein and its fitness for the intended purpose should be checked before the product is used. The producer reserved the right to modify the information presented herein as a result of technological development and improvement of the product by producer.

PCC Rokita SA  
ul. Sienkiewicza 4  
56-120 Brzeg Dolny  
Polska

[www.pcc.rokita.pl](http://www.pcc.rokita.pl)