

EXOcon GPU50

CHEMICAL NAME	Mixture
INCI NAME	-
CAS NUMBER	-
FUNCTION	Foaming agent
TECHNICAL REQUIREMENTS	<p>Appearance at (20±25)°C..... clear, yellow to brown liquid</p> <p>pH of 1% solution 5.0 ÷ 7.0</p> <p>Ammonium sulphate (VI), %(m/m)..... max 1</p> <p>Active substance, %(m/m)..... 47 ÷ 51</p> <p>Unsulphated substances, %(m/m)..... max 2</p>
GENERAL DATA	<p>Molecular weight, g/mol..... approx. 400</p> <p>Density at 20°C, g/mL approx. 1.05</p> <p>Solidification point, °C approx. -20</p> <p>Preservative MIT/CIT</p>
APPLICATION	Concentrated ammonium mixture used as a foaming agent in the production of gypsum boards.