

## SyncoPol S603

<b>CHEMICAL NAME</b>	Poly (oxypropylene) sorbitol
<b>CAS NUMBER</b>	52625-13-5
<b>FUNCTION</b>	Polyether polyol
<b>TECHNICAL REQUIREMENTS</b>	Apperance.....clear liquid Color.....clear liquid Water Content, % ..... max. 0.10 Hydroxyl Value, mg KOH/gm..... 365 - 395 Acid Number, mg KOH/gm ..... 0.01 – 0.50 Total K <sup>+</sup> /Na <sup>+</sup> , ppm..... max. 50
<b>GENERAL DATA</b>	Molecular weight, g/mol..... ~600 Viscosity (25°C), cps ..... 2,300 – 2,800 Odor ..... mild odor
<b>APPLICATION</b>	<ul style="list-style-type: none"> <li>• appliance insulation,</li> <li>• building insulated panels,</li> <li>• pour in place insulation,</li> <li>• bunstock foam,</li> <li>• refrigerated transportation vehicle.</li> </ul>