

EKOPRODUR RB-2

CHEMICAL NAME	Prepolymer based on diphenylmethane diisocyanate (MDI).
	NCO content, % (m/m)..... 14,0 – 16,0 (PN-EN ISO 14896)
TECHNICAL REQUIREMENTS	Density at 25°C, g/ml..... 1,11 – 1,15 (PN-EN ISO 3675)
	Dynamic viscosity at 25°C, mPa·s 1500 – 3000 (ASTM D4878-15,met.A)
	Appearance/ colour at 25°C..... clear, dark amber liquid
APPLICATION	Ekoprodur RB-2 is a one component polyurethane adhesive designed for gluing boards, among others fibrous, styrofoam, polyurethane, mineral wool with sheet, wood, gypsum boards, roofing paper. The adhesive retains its mechanical properties at a temperature of -40°C to + 80°C.