



OSOBNÁ STAROSTLIVOSŤ
OŠETRENIE TVÁRE

HÍBKOVO HYDRATAČNÝ DENNÝ KRÉM [HPCI-02]



HÍBKOVO HYDRATAČNÝ DENNÝ KRÉM [HPCI-02]

FÁZA	INCI MENO	NÁZOV ZNAČKY	KONCENTRÁCIA [%]	FUNKCIA
A	Aqua		78,1	solventný
	Glycerin		3,0	zvlhčovadlo
	Trehalose, Hydrolyzed Vegetable Protein		1,0	aktívny
	Propanediol, Aqua, Bacillus ferment		1,0	aktívny
	Panthenol		0,5	aktívny
	Sclerotium Gum, Xanthan Gum		0,4	modifikátor reológie
B	Cetearyl alcohol		2,0	emulgátor
	Ceteareth-20	ROKAnol®T20	2,0	emulgátor
C	C12-15 Alkyl Benzoate	EXOsoft AB25	6,0	zmäkčujúci
	PPG-15 Stearyl ether	ROKAnol® SP15L	4,0	zmäkčujúci
	Phenoxyethanol		0,8	konzervačný prostriedok
	Tocopherol		0,6	aktívny
	Sodium Polyacrylate		0,4	modifikátor reológie
	Parfum		0,2	vôňa



Vzhľad

vizuálna metóda

biela emulzia

pH

5.0 – 7.0

Postup:

1. V kadičke zmiešajte sklerotium a xantánovú gumu s glycerínom.
 2. V inej kadičke skombinujte Aqua s aktívnou látkou (fáza A). Premiešame a zohrejeme na 60 – 70°C. Pridajte sklerotium a xantánovú gumu s glycerínom.
 3. V hlavnej nádobe zmiešame fázu B a zohrejeme na 60 – 70 °C.
 4. Pridajte fázu A do fázy B a homogenizujte pri 2500 – 3500 ot./min., 90 – 120 sekúnd. Počas miešania sa dávka ochladí na 40 °C.
5. Zmiešajte polyakrylát sodný s EXOsoft AB25. Pridajte pokojovú fázu C a premiešajte.
 6. Pridajte fázu C do hlavnej kadičky, premiešajte a homogenizujte pri 2500 – 3500 ot./min., 90 – 120 sekúnd.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform
to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

