



CUIDADO PERSONAL
TRATAMIENTO FACIAL

MASCARILLA FACIAL [KD-120]



MASCARILLA FACIAL [KD-120]

FASE	NOMBRE INCI	NOMBRE DE LA MARCA	CONCENTRACIÓN [%]	FUNCIÓN
A	Ceteareth-12	ROKAnol® T12	2,0	emulsionante
	Ceteareth-25	ROKAnol® T25	0,5	emulsionante
	Cetearyl alcohol	Copos de ExoAlc 1618	3,0	estabilizador de emulsión
	PPG-15 Stearyl ether	ROKAnol® SP15L	5,0	emoliente
	Caprylic/Capric Triglyceride		5,0	emoliente
	Glycine Soja Oil		2,5	emoliente
	Stearic Acid		1,0	modificador de reología
	Tocopheryl Acetate		0,5	activo
	Butyrospermum Parkii Butter		1,0	emoliente
B	Aqua		71,5	solvente
	Pentylene Glycol		2,5	solvente
	Betaine		1,0	activo
	Magnesium Aluminum Silicate		1,0	modificador de reología
C	Kaolin		3,0	absorbente
	Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben		0,5	preservativo



pH		5.0 – 7.0
apariencia	metodo visual	emulsión ligeramente gris
Estabilidad	1 mes a 5°C, TA, 40°C	confirmado

Procedimiento:

1. En un recipiente principal combine los ingredientes de la fase B. Agregue pentilenglicol, betaína al agua. Agregue silicato de magnesio y aluminio mientras mezcla. Homogeneizar con 2000-3000 RPM, 5-6 min.
2. En un recipiente aparte combine los ingredientes de la fase A.
3. Calentar la fase A y B a 75-80°C.
4. Agregue A en B, mientras mezcla, mantenga A/B a 75-80°C. Homogeneizar con 2000-3000 RPM, 120 seg.
5. Enfriar el lote a 50°C mientras se mezcla. Agregue los ingredientes de la fase C mientras mezcla. Homogeneizar con 2500-3500 RPM, 120 seg.
6. Enfriar el lote a 25°C.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform
to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

