




PERSONAL CARE
BODY TREATMENT



**WHITE SHOWER GEL
[ZP-03]**

WHITE SHOWER GEL [ZP-03]

PHASE	INCI NAME	BRAND NAME	CONCENTRATION [%]	FUNCTION
A	Aqua		33,37	solvent
	Acrylates/C10-30 Alkyl Acrylate Crosspolymer		0,40	viscosity modifier
	Sodium Hydroxide (30% solution)		0,25	pH modifier
B	Aqua		20,00	solvent
	Xanthan Gum		0,45	viscosity modifier
	Glycerin		2,00	moisturising agent
	Polyquaternium 10		0,01	conditioning agent
C	Aqua		10,00	solvent
	Talc		2,00	skin conditioner
	Mica, Titanium dioxide		0,02	pearling agent
	Sodium Lauroyl Glycinate	ROKAtend GL	10,00	surfactant
	Sodium Lauroyl Sarcosinate	ROKAtend LS	20,00	surfactant
D	Parfum		0,50	fragrance
	Ehylhexyl Glycerine, Phenoxyethanol		1,00	preservative



pH		6.0 – 7.5
Apperance	visual method	white viscous gel
Viscosity [cP]	Brookfield LV, spindle 34, speed 2.5 RPM, T: 25°C	6000 – 9000
Stablility	1 month at 5°C, RT, 40°C	confirmed

Procedure:

1. Pour the warm deionized water (40-50°C) into the main vessel and add the Acrylates/C10-30 Alkyl Acrylate Crosspolymer. Start mixing when the agent is completely wetted. Mix until the homogenous solution is obtained.
2. Add Sodium Hydroxide. Mix until homogenous solution is obtained.
3. Combine ingredients from phase B in a separate vessel. Add Xanthan Gum to Glycerin – mix until homogenous solution is obtained. Add warm water (40-50°C) and Polyquaternium-10. Mix until homogenous solution is obtained. If necessary, homogenise for 2-3 minutes.
4. Add phase B to main vessel. Mix until homogenous solution is obtained. If needed, homogenise for 2-3 minutes.
5. Combine ingredients from phase C in a separate vessel. Heat up to 40°C with gentle agitation. Mix until homogenous solution is obtained.
6. Add phase C to the main vessel. Mix until homogenous solution is obtained. Cool the batch down to 30°C.
7. Add fragrance and preservative. Mix gently until homogenous solution is obtained.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

