



OSOBNÁ STAROSTLIVOSŤ
OŠETRENIE VLASOV



ŠAMPÓN PRE
POŠKODENÉ A KREHKÉ
VLASY [SZ-03]

ŠAMPÓN PRE POŠKODENÉ A KREHKÉ VLASY [SZ-03]

FÁZA	INCI MENO	NÁZOV ZNAČKY	KONCENTRÁCIA [%]	FUNKCIA
A	Aqua		46,62	solventný
	Xanthan Gum		0,75	modifikátor viskozity
	Glycerin		2,00	hydratačný prostriedok
	Microcrystalline Cellulose		0,50	modifikátor viskozity
B	Aqua		13,00	solventný
	Citric acid		0,20	modifikátor pH
	Polyquaternium 10		0,03	kondicionér
	PEG-7 Glyceryl Cocoate	rokacet-ko300g	2,00	premazávacie činidlo
	Ammonium Lauryl Sulfate	ROSULfan A	10,00	povrchovo aktívna látka
	Sodium Lauroyl Sarcosinate	ROKAtend LS	20,00	povrchovo aktívna látka
	Cocamidopropyl Betaine	Cocamidopropyl Betaine	3,50	povrchovo aktívna látka
C	Parfum		0,40	vôňa
	Ehylhexyl Glycerine, Phenoxyethanol		1,00	konzervačný prostriedok



pH		5.0 – 7.0
Vzhľad	vizuálna metóda	viskózny mliečny gél
Viskozita [cP]	Brookfield LV, vreteno 34, rýchlosť 3,0 ot./min., T: 25°C	9000 – 11000
Stabilita	1 mesiac pri 5 °C, RT, 40 °C	potvrdil

Postup:

1. V hlavnej nádobe zmiešajte zložky z fázy A. Pridajte xantánovú gumu ku glycerínu - miešajte, kým sa nezíska homogénny roztok. Pridajte teplú vodu (50–55 °C) a mikrokryštalickú celulózu. Miešajte, kým sa nedosiahne homogénny roztok. Homogenizujte 2–3 minúty.
2. Zmiešajte ingrediencie z fázy B. Počas miešania pridajte kyselinu citrónovú a Polyquaternium-10 do teplej vody (50–60°C). Miešajte, kým sa nedosiahne homogénny roztok. Pridajte zvyšok zložiek fázy B. Miešajte, kým nebude jednotná.
3. Pridajte fázu B do fázy A. Miešajte, kým sa nezíska homogénny roztok. Násada sa ochladí na 30 °C.
4. Keď je teplota šarže 30°C, pridajte parfum a konzervant. Miešajte, kým nebude jednotná.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform
to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

