

ROKAnol LP2126

CHEMICAL NAME	Alcohols, C16-18, ethoxylated, propoxylated
INCI NAME	-
CAS NUMBER	68002-96-0
FUNCTION	Low foaming agent
TECHNICAL REQUIREMENTS	<p>Appearance at temperature (20÷25)°Cclear or turbid liquid</p> <p>pH of 1% solution (EtOH/water – 1:1, (V/V))4.0 ÷ 6.0</p> <p>Cloud point (butyldiglycol/water solution), °C21 ÷ 26</p> <p>Water content, %(m/m)max 0.5</p>
GENERAL DATA	<p>Molecular weightapprox. 1340</p> <p>Solubility in waterlow (creates turbid solutions)</p> <p>Other solvents..... low aliphatic alcohols</p> <p>Density at 25°C, g/mLapprox. 0.98</p> <p>Solidification point, °C below -20,0</p> <p>Viscosity at temperature 20°C, cP.....approx. 250</p> <p>Flash point, °C 228</p>
APPLICATION	<p>Nonionic surfactant with a low foaming properties, compatible with other nonionic, anionic and cationic surface active compounds. ROKAnol LP2126 can be used mainly as a low foaming agent example in the process of the paper industry and as an additive for production of food packaging or food contacting materials.</p> <p>Product is allowed to be used as an indirect food contact additive based on list published by Food and Drugs Agency (FDA).</p> <p>FDA lists: 178.1010</p> <p>Please notice that product is allowed to be used according to its definition and specification, in amounts not higher than established by organization.</p>