

EXOcare HTW1

TRIDECETH-9 (AND) PEG-40 HYDROGENATED CASTOR OIL (AND) AQUA

Description

- stabilization of oil-in-water emulsions,
- biodegradable,
- good tolerated by skin and mucous membranes,
- ability to solubilize essential oils, fragrances and other oil substances.

Application

- shampoos,
- baby bath gels,
- gentle baby shampoos,
- liquid soap,
- haircare,
- shaving foams,
- shower gels,
- face gels,

- hair coloring and bleaching,
- make-up and make-up removal.



EXOcare HTW1 TRIDECETH-9 (AND) PEG-40 HYDROGENATED CASTOR OIL (AND) AQUA

Chemical name	Alcohols, C13, branched, ethoxylated and castor oil, hydrogenated, Ethoxylated, water solution		
INCI name	Trideceth-9 (and) PEG-40 Hydrogenated Castor Oil (and) Aqua		
Function	Blend of non-ionic surfactants. The product is used primarily as a solubiliser		
Technical requirements	Appearance at temperature (20÷25)°C	liquid	
	Colour in Hazen scale 40°C	max 150	
	pH of 5% solution	5 ÷ 7	
	Water, %(m/m)	8 ÷ 10	
General data	Solubility in water	good	
	Solidification point, °C	approx4	
	Density at 25°C, g/mL	approx. 1.04	
	Viscosity at 25°C, cP	below 1000	

Cleaning micellar lotion

Phase	INCI name	Brand name	Concentration [%]	Function
Α	Aqua	_	84.96	solvent
Α	Sodium Benzoate	_	0.25	preservative
Α	Potassium Sorbate	_	0.25	active
В	Poloxamer 184	EXOmer L64	3.00	surfactant
В	Trideceth-9 (and) PEG-40 Hydrogenated Castor Oil (and) Aqua	EXOcare HTW1	4.00	solubiliser
В	Glycerin	_	1.00	moisturizer
В	Propylene Glycol	_	6.00	solvent
В	Parfum	_	0.50	fragrance
В	Citric acid	-	0.04	pH adjuster
	APPEARANCE pH	visual method		transparent liquid 4.8-5.5

4.8-5.5 confirmed



1. Aqua heat to 40 – 50°C. In main beaker mix aqua with Sodium Benzoate and Potassium Sorbate (phase A).

STABILITY 1 month in 5°C, 20°C, 40°C

- 2. Add ingredients from phase B to the main beaker and mix.
- 3. Check pH, if necessary add more Citric Acid to 4.8-5.5.

Cleaning facial foam wash

Phase	INCI name	Brand name	Concentration [%]	Function
Α	Aqua	_	92.29	solvent
А	Betaine	-	0.25	active substance
В	Glycerin	-	1.00	moisturizer
с	Sodium Lauroyl Sarcosinate	ROKAtend LS	4.00	surfactant
D	Trideceth-9 (and) PEG-40 Hydro genated Castor Oil (and) Aqua		2.00	solubiliser
D	Methylparaben, Ethylparaben	-	0.40	preservative
E	Citric acid	-	0.06	pH adjuster
	рН	ual method nonth in 5°C, 20°C, 40°C		transparent liquid 5.5-6.5 confirmed



- 1. Aqua heat to 40 50°C. In main beaker mix warm Aqua with Betaine (phase A).
- 2. Phase B add to phase A and mix.
- **3.** Next add ROKAtend LS (phase C) and mix until clear solution is obtained.
- **4.** In other baker mix phase D.
- 5. To the main baker add phase D and phase E.
- 6. Check pH, if necessary add more Citric Acid to 5.5-6.5.

Men body foam with cooling effect

Phase	INCI name	Brand name	Concentration [%]	Function
Α	Aqua	-	78.15	solvent
Α	Sodium Benzoate, Potassium Sorbate, Aqua	-	0.50	preservative
В	Ammonium Lauryl Sulfate	ROSULfan A70	5.00	surfactant
В	Glycerin	_	1.50	moisturizer
В	Caprylyl/ Decyl Glucoside	_	4.00	surfactant
В	Trideceth-9 (and) PEG-40 Hydro- genated Castor Oil (and) Aqua	EXOcare HTW1	0.50	solubiliser
С	Menthyl Lactate	_	1.00	refreshing
С	Propylene Glycol	_	4.00	solvent
D	Cocamidopropyl Betaine	ROKAmina K30	5.00	surfactant
D	Parfum	_	0.25	fragrance
D	CI 42090	-	0.10	dye
D	Lactic Acid	-	for pH 4.7-5.5	pH adjuster
	APPEARANCE	visual method		blue liquid 4.7-5.0

pH **STABILITY** 1 month in 5°C, 20°C, 40°C 4.7-5.0 confirmed

PROCEDURE

- 1. In main vessel combine ingredients from phase A mix until uniform.
- 2. Next add ROSUlfan A70 and mix.
- 3. Add Glycerin and Caprylyl/Decyl Glucoside, mix.
- 4. In next step add EXOcare HTW1 and mix.
- 5. In separate vessel mix Menthyl Lactate with Propylene Glycol (phase C) until uniform. Next add it to main vessel and mix.
- 6. Add ROKAmina K30 and mix until uniform.
- **7.** Add Parfum and Pigment, mix.
- 8. Control the pH range if necessary, add Lactic Acid for pH 4.7-5.5.

Make-up removing liquid

Phase	INCI name	Brand name	Concentration [%]	Function
Α	Aqua	_	92.19	solvent
A	Betaine	_	0.25	active substance
В	Poloxamer 184	EXOmer L64	0.20	surfactant
В	PEG-6 Caprylic/Capric Glycerides	ROKAcet CC6	4.00	surfactant
В	Glycerin	_	1.00	moisturizer
с	Trideceth-9 (and) PEG-40 Hydro- genated Castor Oil (and) Aqua	EXOcare HTW1	1.00	solubiliser
С	Parfum	_	0.30	fragrance
С	Phenoxyethanol, Ethylhexylglycerin	_	1.00	preservative
D	Citric acid	_	0.06	pH adjuster
	APPEARANCE visua	al method		transparent liquid

pН

STABILITY 1 month in 5°C, 20°C, 40°C

transparent liquid 5.5-6.5 confirmed


PROCEDURE

- 1. In main beaker mix Aqua with Betaine (phase A).
- 2. Phase B add to phase A and mix.
- **3.** In other baker mix phase C.
- 4. To the main baker add phase C and add Citric Acid.
- 5. Check pH, if necessary add more Citric Acid to 5.5-6.5.


SOLUBILIZATION TEST

Solubilizers make it possible to dissolve insoluble or hardly soluble substances, such as fragrances, essential oils, fatty substances, in an aqueous medium. These substances are mainly used in products in which the main ingredient is water or when there is a low alcohol content in the solution. Solubilizers form a dispersion, so that finished products do not require mixing or shaking before use. They are mainly used in formulations such as makeup removers, tonics, gels, body and hair care products.


Solubilization test determining the amount of solubilizer needed to introduce 0.5% of water-insoluble components to obtain a clear mixture. Input system: Insoluble substance – Solubilizer – Water



Solubilization test determining the amount of solubilizer needed to introduce 1% of water-insoluble component into formulation and obtain a clear mixture. Input system: Insoluble substance – Solubilizer – Water-Surfactants







www.products.pcc.eu

