



# Automatic dishwasher detergents

Raw materials and chemical additives

Local. Global. Integrated.

Operating in 17 countries, in 39 different locations, PCC SE currently employs over 3 300 people.



# About Us

PCC Exol SA is a major player in the European surfactants market. In the eastern and central-eastern part of the continent, it is the undisputed leader in its industry. Most of the production facilities and the company's headquarters are located in Brzeg Dolny, Poland. Here we develop, test and manufacture a wide range of anionic, non-ionic and amphoteric surfactants and speciality industrial formulations.

New products are continuously added to the portfolio in response to market trends and individual customer requirements. The surfactants produced at the plants have a very wide range of industrial applications. They

are used as wetting agents, emulsifiers, auxiliaries in paper, metallurgy and many other industries, as well as in household chemicals, personal care products and textiles.

PCC EXOL pays special attention to the issue of sustainable development, which is one of the key elements of the company's strategy. In order to strengthen its competitive position in the surfactants market, the company is committed to promoting responsible production and consumption throughout the value chain. The concept of sustainable development is therefore a key aspect of all the company's management and operational processes.

<p><b>PCC ROKITA SA</b> <b>PCC PCG</b> <b>OXYALKYLATES</b> <b>IRPC</b></p> <p><b>Polyols</b></p> 	<p><b>PCC</b> <b>ROKITA SA</b></p> <p><b>Chlorine</b></p> 	<p><b>PCC</b> <b>ROKITA SA</b></p> <p><b>Phosphorus</b></p> 	<p><b>PCC EXOL SA</b> <b>PCC CHEMAX INC</b> <b>PCC PCG OXYALKYLATES</b></p> <p><b>Surfactants</b></p> 	<p><b>PCC</b> <b>SYNTEZA</b></p> <p><b>Alkylphenols</b></p> 
<ul style="list-style-type: none"> <li>• Polyether polyols</li> <li>• Polyester polyols</li> <li>• Prepolymers</li> <li>• Polyurethane Systems</li> </ul>	<ul style="list-style-type: none"> <li>• Chlorine</li> <li>• MCAA</li> <li>• Other Chlorine Downstream Product</li> </ul>	<ul style="list-style-type: none"> <li>• Phosphorus derivatives</li> <li>• Naphthalene derivatives</li> <li>• Polycarboxethers (PCE)</li> </ul>	<ul style="list-style-type: none"> <li>• Anionic surfactants</li> <li>• Cationic surfactants</li> <li>• Nonionic surfactants</li> <li>• Amphoteric surfactants (betaines)</li> <li>• Chemical formulation</li> </ul>	<ul style="list-style-type: none"> <li>• Nonylphenol</li> <li>• Dodecylphenol</li> <li>• Tristyrylphenol</li> </ul>
<p><b>PCC CONSUMER</b> <b>PRODUCTS SA</b></p> <p><b>Consumer Products</b></p> 	<p><b>PCC</b> <b>ROKITA SA</b></p> <p><b>Energy</b></p> 	<p><b>PCC</b> <b>INTERMODAL SA</b></p> <p><b>Logistics</b></p> 	<p><b>PCC</b> <b>BAKKISILICON HF.</b></p> <p><b>Silicon</b></p> 	<p><b>PCC</b> <b>SE</b></p> <p><b>Holding &amp; Projects</b></p> 
<ul style="list-style-type: none"> <li>• Household &amp; industrial Cleaners, Detergents and Personal Care Products</li> </ul>	<ul style="list-style-type: none"> <li>• Renewable Energy</li> <li>• Conventional Energy</li> </ul>	<ul style="list-style-type: none"> <li>• Intermodal transport</li> <li>• Road Haulage</li> <li>• Rail Transport</li> </ul>	<ul style="list-style-type: none"> <li>• Microsilica</li> <li>• Silicon Metal</li> </ul>	<ul style="list-style-type: none"> <li>• Portfolio Management</li> <li>• Project Development</li> </ul>



# Table of contents

<b>01 / Automatic Dishwasher Gels</b>	<b>7</b>
General information	7
Basic formulation of Dishwasher Gel	7
Cleaning effect	9
<b>02 / Dishwasher Rinse Aids</b>	<b>13</b>
General information	13
Basic formulations of Dishwasher Rinse Aid	13
Rinse Aid test – results	16
<b>03 / Dishwasher Cleaners</b>	<b>19</b>
General information	19
Basic formulations of Dual Layer Dishwasher Cleaners	19
Degreasing Properties	21



# 01 / Automatic Dishwasher Gels

## General information

The most popular detergents on the market for Automatic Dishwashing are formulations in the form of tablets or pods, however dishwasher gels are quite common as well. Their application into dispenser is easy and quick. Those types of formulations are expected to wash the dishes well, leave them without streaks and deposits, not damage the cleaned surfaces and be universal for different types of surfaces and various types of dirt. The best detergents for automatic dishwashing, not only prevent redeposition of dirt, but also limit the accumulation of minerals and discoloration of the dishes.

Depending on the type of formulation, different ingredients are used, however, they usually contain the following components:

- **Sequestering/Dispersing agents** – responsible for scale build-up prevention as well as reducing calcium and magnesium ions by chelating or dispersing mechanism. Phosphates are characterized

by the highest chelating effect, however nowadays, they are being replaced by the usage of environmentally friendly additives such as organic polymers (products from EXOlat serie).

- **Oxygen-based bleaches** – break up and bleach organic deposits. They are mainly found in tablets and liquids containing chlorine-based bleaching agents for professional usage.
- **Nonionic surfactants** – compounds that lower the surface tension of water, emulsify oil deposits and prevent the formation of stains on the vessel surfaces.
- **Enzymes** – hydrolyze dirt deposits based on proteins and polysaccharides.
- **Corrosion inhibitors** – decrease the corrosion rate of a material. The most often used compound is sodium metasilicate.

## Basic formulation of Dishwasher Gel

The example recipe of automatic dishwashing gel is presented below. One of the main function in this formulation is fulfilled by the:

- **ROKAnol L5P5**, low-foaming nonionic surfactant, which belongs to a group of alkoxyated natural alcohols. It exhibits excellent wetting and detergent properties for broadly understood cleaning, where low foaming profile is required. The product exhibits cleaning properties at the level of widely used lauryl alcohol

ethoxylates, but it is characterized by several times lower foaming abilities. ROKAnol L5P5 is one of the most universal low-foaming surfactant from PCC EXOL SA offer used in ADW application.

- **EXOlat C40/EXOlat ZA**, organic polymers, which are capable of removing water hardness by dispersion of calcium and magnesium ions. They prevent the limescale deposition as well as enhance the detergent effect.



## Automatic Dishwashing Gel

Ingredient	Formulation 1 [%]	Formulation 2 [%]	Function
<b>EXOlat C40</b> (homopolymer of acrylic acid)	-	12.0	Sequestrant
<b>EXOlat ZA</b> (copolymer of acrylic acid and maleic anhydride)	12.0	-	Sequestrant
<b>ROKAnol L5P5</b> (Alcohols C12-14, ethoxylated, propoxylated)	5.0	5.0	Cleaning and wetting agent
Sodium polyacrylate, Mw=4000-6000, 40%	6.0	6.0	Anti-redeposition agent
Sodium Citrate	4.0	4.0	Chelating agent
Subtilisin, 40%	4.0	4.0	Enzyme
Tetrasodium EDTA, 40%	4.0	4.0	Chelating agent
Amylase, 40%	1.0	1.0	Enzyme
Xanthan Gum	0.8	0.8	Thickener
Citric Acid	0.5	0.5	pH adjuster
Water	up to 100	up to 100	Solvent
Additives*	q.s.	q.s.	-

\*Additives: preservatives, dyes, fragrances and other

### Procedure:

1. Mix Xanthan Gum with water (50°C).
2. Add **EXOlat C40/EXOlat ZA, ROKAnol L5P5**, Tetrasodium EDTA, Sodium Citrate, Citric Acid, Sodium Polyacrylate and mix until all the ingredients are uniformly combined with each other.
3. Cool the mixture down to 20-25°C.
4. Add enzymes and mix until homogenous solution is obtained.

## Cleaning effect

**The detergency measurements were conducted based on modified IKW method:** „Recommendations for the Quality Assessment of the Cleaning Performance of Dishwasher Detergents (Part B, Update 2015)“. According to IKW method there are 8 types of dirt, which are divided into 4 classes. Corresponding to the composition of dishwashing detergents of bleach, alkali and various enzymes, at least one soil type from each of the four soil classes (bleachable, persistent/alkaline-sensitive, starch-containing

amylase-sensitive and protein containing protease-sensitive) were used in testing.

Four types of dirt were selected, one from each class (table below). After washing cycle, a visual assessment was carried out, scoring from 0 to 9 or from 0 to 10, depending on the degree of cleaning and type of dirt. The higher the score the better the detergent effect.

### Types of dirt and their scores are presented below

Soil class	Bleachable	Persistent/ alkaline-sensitive	Starch-containing, amylase-sensitive	Protein-containing, protease-sensitive
<b>Soil type</b>	Black tea	Milk	Pasta	Egg yolks
<b>Scoring</b>	0 - 10	0 - 9	0 - 10	0 - 10

### Method description


<b>Used dishes</b>	3 x a glass of baked milk 3 x dirty plate with pasta 3 x cup soiled with tea 3 x metal plate soiled with egg yolk
<b>Dishwasher type</b>	<b>BOSCH Silence Plus</b>
<b>Washing method</b>	„ECO“*
<b>Washing cycle number</b>	1
<b>Water type</b>	Tap water (13°dH)
<b>Formulation dose</b>	30 ml
<b>Measurement method</b>	Visual assessment - point scale

\*Washing program: pre-wash, 50°C wash, intermediate rinse, rinse with 65°C polishing, drying


## Detergency results

Soil type	Average number of points				Total points
	Black tea	Milk	Pasta	Egg yolks	
Water	0.3	3.3	1.3	2.0	6.9
Formulation 1	4.7	8.3	9.0	9.0	31.0
Formulation 2	5.7	8.0	9.0	10.0	32.7

## Detergency results



## Detergency results – visual assessment

Soil type	Water	Formulation 1	Formulation 2
Black tea			
Pasta			
Milk			
Egg yolk			



# 02 / Dishwasher Rinse Aids

## General information

Rinse aids are used in the final rinse cycle to minimize the deposition of residual water, soluble minerals and surface-active soil components on washed items. The main component of rinse aid formulations are low foaming nonionic surfactants from the group of ethoxylated and propoxylated fatty alcohols or EO/PO block copolymers.

The surfactant in rinse aid formulation contribute to decreasing of surface tension of water and improves the wetting on the hydrophobic surfaces. Improved wetting, reduces the tendency of

the rinsing water to form drops on the vessel surfaces, which give rise to spots upon drying.

The other components in rinse aid detergents are complexing agents, such as citric acid and hydrotropes, such as tetrasodium cumenesulfonate. The complexing agent prevents scale build-up and it contributes to the brilliancy and shiny appearance on a glass surface. The hydrotropes are responsible for raising the cloud point of low foaming surfactants and keep the formulation clear.

## Basic formulations of Dishwasher Rinse Aid

### Economic Rinse Aid formulation

Component	Concentration [%]	Function
<b>ROKAnol L7</b> (Laureth-7)	5.5	<b>Wetting agent</b>
<b>ROKAnol LP2500</b> (Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated)	3.5	<b>Wetting agent</b>
<b>EXOtrope SCS 40</b> (Sodium Cumenesulfonate, 40%)	5.0	<b>Hydrotrope</b>
Citric Acid, monohydrate	3.0	Chelating agent / pH adjustor
Water	up to 100	Solvent
Additives *	q.s.	–

\*Additives: preservatives, dyes, fragrances and other

### Procedure:

1. Mix non-ionic surfactants **ROKAnol LP2500** and **ROKAnol L7** with water.
2. Add **EXOtrope SCS 40**, Citric Acid and other additives.
3. Mix until a clear solution is obtained.

## Standard Rinse Aid formulation

Component	Concentration [%]	Function
<b>ROKAnol LP2500</b> (Alcohols, C12-C15, branched and linear, ethoxylated, propoxylated)	9.0	Wetting agent
<b>EXOtrope SCS 40</b> (Sodium Cumenesulfonate, 40%)	5.0	Hydrotrope
Citric Acid, monohydrate	3.0	Chelating agent / pH adjustor
Water	up to 100	Solvent
Additives *	q.s.	-

\*Additives: preservatives, dyes, fragrances and other

### Procedure:

1. Mix **ROKAnol LP2500** with water.
2. Add **EXOtrope SCS 40**, Citric Acid and other additives.
3. Mix until a clear solution is obtained.



## Rinse Aid method description

The rinse aid method is based on EN 50242/ EN 60436 „Electric dishwashers for household use – Methods for measuring the performance“. The test was performed on clean glasses and knives.

<b>Used dishes</b>	<b>6 x clean glasses 6 x clean knives</b>
<b>Dishwasher type</b>	<b>BOSCH Silence Plus</b>
<b>Washing method</b>	<b>„ECO“*</b>
<b>Washing cycle number</b>	<b>6</b>
<b>Water type</b>	<b>Tap water (13°dH)</b>
<b>Formulation dose</b>	<b>10 ml</b>
<b>Measurement method</b>	<b>STEP 1: counting spots STEP 2: assessing the shine level</b>

\* Washing program: pre-wash, 50°C wash, intermediate rinse, rinse with 65°C polishing, drying

The measurement method consists of 2 steps. The first one is counting spots on glasses and knives, the second one is assessing of shining level. Each step has its own scoring which is briefly described below.

### Step 1 [counting spots]:

The scoring depends on the number of stains (glasses + knives). The maximum number of spots dishes is 60. The bigger number of spots on glasses and knives the worse effect. The highest score (7) is assigned to the smallest number of spots.

<b>Number of spots</b>	0 – 8	9 – 16	17 – 24	25 – 32	33 – 40	41 – 49	50 – 59	60 ≤
<b>Scoring</b>	7	6	5	4	3	2	1	0


### Step 2 [assessing the shine level]:

The score depends on the shine level. Evaluation has been made only on glasses due to the too small surface of knives. The higher the score the better the effect.

<b>Appearance</b>	High matt effect	Medium matt effect	Weak matt effect	Shiny effect
<b>Scoring</b>	0	1	2	3



## Rinse Aid test – results

Appearance of dishes after 6 cycles of washing, using basic formulations presented above has been compared to dishes rinsed only with water.

Dish type	Water	Standard Rinse Aid Formulation	Economic Rinse Aid Formulation
Glasses			
Knives			

The rinsing effect is expressed as a total score of counted spots on glasses, knives and shining effect on glasses. The higher the score the better the rinsing effect.

### Rinsing effect





# 03 / Dishwasher Cleaners

## General information

Due to the growing awareness of consumers, more and more preparations for specialized applications can be found on store shelves such as liquid dishwasher cleaners. Dual layer products are becoming increasingly popular because they give the user a feeling of better and stronger action.

Dual layer formula cleans dishwasher by

- fighting grease,

- fighting limescale,
- decreasing odour in the hidden parts of machine.

It works safely and effectively by breaking down and removing mineral build up which is inside the machine, including hard-to-reach parts like the heating element and spray arms.

## Basic formulations of Dual Layer Dishwasher Cleaners

### Economic Dual Layer Dishwasher Cleaner

Component	Concentration [%]	Function
<b>ROKAnol GT3R</b> (Alcohols, C9-C16, ethoxylated)	7.0	<b>Wetting and degreasing agent</b>
Citric Acid, monohydrate	25.0	Chelating agent
Water	up to 100	Solvent
Additives *	q.s.	–

\*Additives: preservatives, dyes, fragrances and other

### Procedure:

1. Mix non-ionic surfactant **ROKAnol GT3R**, Citric Acid and other additives.
2. Mix until a clear solution is obtained.

## Standard Dual Layer Dishwasher Cleaner

Component	Concentration [%]	Function
<b>ROKAnol IT3</b> (Isotrideceth-3)	7.0	<b>Wetting and degreasing agent</b>
Citric Acid, monohydrate	25.0	Chelating agent
Water	up to 100	Solvent
Additives *	q.s.	–

\*Additives: preservatives, dyes, perfumes and other

### Procedure:

1. Mix non-ionic surfactant **ROKAnol IT3**, Citric Acid and other additives.
2. Mix until a clear solution is obtained.

## Two phase Dishwasher Cleaner

Component	Concentration [%]	Function
<b>ROKAnol GA3</b> (PEG-3 Propylheptyl Ether)	7.0	<b>Wetting and degreasing agent</b>
<b>POLIKol 6000</b> (PEG-135)	5.0	<b>Accelerates phase separation</b>
Citric Acid, monohydrate	25.0	Chelating agent
Water	up to 100	Solvent
Additives *	q.s.	–

\*Additives: preservatives, dyes, perfumes and other

### Procedure:

1. Mix non-ionic surfactant **ROKAnol GA3** and **POLIKol 6000**, Citric Acid and other additives.
2. Mix until a clear solution is obtained.




## Degreasing Properties

Method of dynamic degreasing verifies the efficiency of degreasing a metal surface during mechanical mixing. For this purpose the tested surface is immersed for 5 minutes in the used oil and then is

applied in 1 L of solution which contains 5 g/L of tested formulation. The mixing speed is 200 RPM. The degreasing effects are visually assessed after 2 and 5 minutes from starting the mixing process.

### Appearance of metal surface after 2 and 5 minutes of stirring in solution of tested formulations









**PCC Exol SA**  
Sienkiewicza 4  
56-120 Brzeg Dolny, Poland  
products@pcc.eu

Please visit our capital group business platform:  
**[www.products.pcc.eu](http://www.products.pcc.eu)**



February 2026

The information in the catalogue is believed to be accurate and compiled to the best of our knowledge; however, it should be considered as introductory only. Detailed information about our products is available in TDS and MSDS.

The suggestions for product applications are based on our best knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application, and for determining product suitability for the user's own purposes rests with the user.

All copyright and trademark rights, as well as other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA or PCC EXOL SA or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply to data used in other publications, electronic information systems, or other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.