

# SyncoPol S650

<b>CHEMICAL NAME</b>	Poly (oxypropylene) sorbitol
<b>CAS NUMBER</b>	52625-13-5
<b>FUNCTION</b>	Polyether Polyol for Polyurethane Application
<b>TECHNICAL REQUIREMENTS</b>	Apperance.....clear liquid Color..... clear liquid Water Content, %.....max. 0.10 Hydroxyl Value, mg KOH/gm..... 430 - 480 Acid Number, mg KOH/gm..... 0.01 – 0.50
<b>GENERAL DATA</b>	Molecular weight, g/mol..... ~650 Viscosity (25°C), cps .....3,500 – 6,500 Odor .....mild odor
<b>APPLICATION</b>	<ul style="list-style-type: none"> <li>• appliance insulation, insulated panels, pour-in-place insulation,</li> <li>• refrigerated transportation vehicles,</li> <li>• block and spray foam.</li> </ul>

Information presented herein has been given in good faith and to the best of our current knowledge and experience. The compliance of the specific properties of the supplied product with the data given herein and its fitness for the intended purpose should be checked before the product is used. The producer reserved the right to modify the information presented herein as a result of technological development and improvement of the product by producer.

**IRPC-PCC Company Limited**  
 555/2 Energy Complex Building B  
 Vihavadi Rangsit Road, Chatuchak  
 Bangkok 10900 THAILAND

[www.irpc.co.th](http://www.irpc.co.th)