

GENERAL INFO & USES

EXOSTAT SERIES – antistatic agents are able to conduct or dissipate electric charges of plastics, thereby lead to lower surface resistivity and shorten charge decay time. Additives are applied to different type of polymers like: PE, PP, PVC, TPU or PS.





KEY BENEFITS

- Speciality masterbatches
- PE/PP/PS food packaging
- Electronics & Automotive compounds
- PVC foils & coated textile

KEY FEATURES

- Migratory type
- FDA or EU 10/2011 complied
- High performance at low loadings
- Suitable for transparent finish goods

LIQUID & INTERNAL ANTISTATS

Product name	Chemical name	Dedicated polymers	Loading levels [%]	Food contact
EXOstat 122	Ethoxylated cocamine	PE (HDPE, LDPE, LLDPE), PP, PS (GPPS), PVC	PE: 0.10 – 0.40 PP: 0.15 – 0.80 PS: 1.0 – 4.0 PVC: 1.0 – 3.0	FDA, Commission Regulation (EU) No 10/2011
EXOstat 187	Ethoxylated fatty acid	PE (HDPE, LDPE, LLDPE), PP, PVC	PE: 0.10 – 0.40 PP: 0.15 – 0.80 PVC: 1.0 – 3.0	FDA, Commission Regulation (EU) No 10/2011
EXOstat KO	Cocamide DEA	PE (HDPE, LDPE, LLDPE), PP, PS (GPPS)	PE: 0.15 – 1.20 PP: 0.20 – 0.35 PS: 1.50 – 2.50	
EXOstat RO	Oleamide DEA Rapamide DEA	PE (HDPE, LDPE, LLDPE), PP, PS (GPPS)	PE: 0.15 – 1.20 PP: 0.20 – 0.35 PS: 1.50 – 2.50	
EXOstat K	Ethoxylated quaternized cocamine	PVC, TPU	PVC: 1.0 – 3.0 TPU: 1.0 – 3.0	

OTHER SOLUTIONS INTERNAL & EXTERNAL APPLICATION

Product name	Chemical name	Form	Dedicated polymers	Food contact
ROKwinol 80	Polysorbate 80	Liquid	All polymers, particularly PET	FDA, Commission Regulation (EU) No 10/2011
ROKsol AZR Premium	Proprietary	Liquid	All Polymers, particularly PE	
ROSULfan LP	Alkylsulfates	Powder	All polymers, particularly PVC, PS	FDA, Commission Regulation (EU) No 10/2011





PCC Exol SA Sienkiewicza St. 4 56-120 Brzeg Dolny Poland

May 2023

Please visit our capital group business platform:

www.products.pcc.eu



Information in this catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about our products is available in TDS and MSDS.

Suggestions for product applications are based on the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application method and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC EXOL SA or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC EXOL SA- shall not be responsible for data published by users.

