



CUIDADO PESSOAL
TRATAMENTO FACIAL

MILD EMULSION FOR SKIN FACE [ST-03]

FACE TREATMENT
FORMULATION ZONE

pcc

www.products.pcc.eu



*Designed with
the thought
about you.*

EMULSÃO SUAVE PARA
PELE ROSTO [ST-03]

EMULSÃO SUAVE PARA PELE ROSTO [ST-03]

ESTÁGIO	NOME DA INCI	MARCA	CONCENTRAÇÃO [%]	FUNÇÃO
A	Paraffinum Liquidum		1,5	emoliente
	Butyrospermum Parkii (Shea Butter)		0,5	emoliente
	Caprylic/Capric Triglyceride		1,0	emoliente
	Glyceryl Stearate, PEG- 100 Stearate		3,0	emulsificante
	Cetearyl alcohol		2,5	co- emulsionante
B	Aqua		25,3	solvente
C	Xanthan Gum		0,4	modificador de viscosidade
	Glycerin		1,3	agente hidratante
	Aqua		50,2	solvente
D	Citric acid		0,1	modificador de pH
	Sodium Lauroyl Glycinate	ROKAtend GL	5,0	surfactante
	Sodium Lauroyl Sarcosinate	ROKAtend LS	7,7	surfactante
	Parfum		0,5	fragrância
	Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben		1,0	conservante



pH		6.5 - 7.5
Aparência	método visual	emulsão branca
Viscosidade [cP]	Brookfield LV, eixo 34, velocidade 6,0 RPM, T: 25°C	5000 - 10000
estabilidade	1 mês a 5°C, RT, 40°C	confirmado

Procedimento:

1. Em uma vasilha principal aqueça todos os ingredientes a 75-80°C e faça o mesmo com a fase B.
2. Verter a água quente da fase B para a fase A, misturar bem (evitar o arrefecimento) e homogeneizar durante 5 minutos. Em seguida, iniciar o resfriamento da formulação e repetir a homogeneização a 60°C. Faça o mesmo a 40°C.
3. Ao mesmo tempo, prepare a fase C misturando Goma Xantana, Glicerina e água morna (50°C). Para obter uma solução homogênea, homogeneizar por 1 min.
4. Junte os ingredientes da fase D e misture até ficar homogêneo. Se necessário, adicione ácido cítrico.
5. Adicione as fases D e B ao recipiente principal (fase A) e misture por 5 min, depois homogeneize por 1 min.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform
to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

