



CUIDADO PERSONAL
TRATAMIENTO FACIAL

MILD EMULSION FOR SKIN FACE [ST-03]

FACE TREATMENT
FORMULATION ZONE

pcc

www.products.pcc.eu



*Designed with
the thought
about you.*

EMULSIÓN SUAVE PARA
LA PIEL DEL ROSTRO
[ST-03]

EMULSIÓN SUAVE PARA LA PIEL DEL ROSTRO [ST-03]

FASE	NOMBRE INCI	NOMBRE DE LA MARCA	CONCENTRACIÓN [%]	FUNCIÓN
A	Paraffinum Liquidum		1,5	emoliente
	Butyrospermum Parkii (Shea Butter)		0,5	emoliente
	Caprylic/Capric Triglyceride		1,0	emoliente
	Glyceryl Stearate, PEG- 100 Stearate		3,0	emulsionante
	Cetearyl alcohol		2,5	coemulsionante
B	Aqua		25,3	solvente
C	Xanthan Gum		0,4	modificador de viscosidad
	Glycerin		1,3	agente hidratante
	Aqua		50,2	solvente
D	Citric acid		0,1	modificador de pH
	Sodium Lauroyl Glycinate	ROKAtend GL	5,0	surfactante
	Sodium Lauroyl Sarcosinate	ROKAtend LS	7,7	surfactante
	Parfum		0,5	fragancia
	Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben		1,0	preservativo



pH		6.5 - 7.5
apariencia	metodo visual	emulsión blanca
Viscosidad [cP]	Brookfield LV, husillo 34, velocidad 6,0 RPM, T: 25°C	5000 - 10000
Estabilidad	1 mes a 5°C, TA, 40°C	confirmado

Procedimiento:

1. En un recipiente principal calentar todos los ingredientes a 75-80°C y hacer lo mismo con la fase B.
2. Verter el agua caliente de la fase B en la fase A, mezclar bien (evitar que se enfríe) y homogeneizar durante 5 minutos. Luego, comience a enfriar la formulación y repita la homogeneización a 60°C. Hacer lo mismo a 40°C.
3. Al mismo tiempo, preparar la fase C mezclando Goma Xantana, Glicerina y agua tibia (50°C). Para obtener una solución homogénea, homogeneizar durante 1 min.
4. Combine los ingredientes de la fase D y mezcle hasta que quede uniforme. Si es necesario, agregue ácido cítrico.
5. Añadir las fases D y B al recipiente principal (fase A) y mezclar durante 5 min, luego homogenizar durante 1 min.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform
to check full range of products for personal care.

www.products.pcc.eu

PCC Group
Sienkiewicza 4
56-120 Brzeg Dolny
Poland

e-mail: products@pcc.eu

