



OSOBNÍ PÉČE  
ZBÝVAJÍCÍ

## DĚTSKÁ TĚLOVÁ PĚNA [RD-09]



# DĚTSKÁ TĚLOVÁ PĚNA [RD-09]

| FÁZE | JMÉNO INCI                 | JMÉNO ZNAČKY  | KONCENTRACE [%] | FUNKCE                  |
|------|----------------------------|---------------|-----------------|-------------------------|
| A    | Aqua                       |               | 44,600          | solventní               |
|      | Sodium Cocoyl Isethionate  |               | 12,000          | povrchově aktivní látka |
|      | Sodium Lauroyl Sarcosinate | ROKAtend LS   | 4,500           | povrchově aktivní látka |
|      | Coco-betaine               | ROKAmina®K30B | 1,000           | povrchově aktivní látka |
|      | C12-15 Alkyl Benzoate      | EXOsoft AB25  | 1,000           | zvlhčující prostředek   |
| B    | Glycerin                   |               | 25,000          | aktivní                 |
|      | Sorbitol                   |               | 10,000          | aktivní                 |
|      | Panthenol                  |               | 1,000           | aktivní                 |
| C    | Parfum                     |               | 0,200           | vůně                    |
|      | CL 17200                   |               | 0,001           | barvivo                 |
| D    | Sodium Benzoate            |               | 0,500           | konzervační             |
|      | Potassium Sorbate          |               | 0,300           | konzervační             |
| E    | Lactic Acid                |               | 0,300           | modifikátor pH          |



|           |                             |              |
|-----------|-----------------------------|--------------|
| Stabilita | 1 měsíc při 5°C, 20°C, 40°C | potvrzeno    |
| Vzhled    | vizuální metoda             | růžová pasta |
| pH        |                             | 5.0 – 5.5    |

## Postup:

1. Přidejte přísady fáze A do teplé vody (40-45°C). Míchejte, dokud nezískáte homogenní roztok.
  2. Vsádka se ochladí alespoň na 35 °C.
  3. Během míchání přidejte přísady fáze B. Míchejte, dokud nezískáte homogenní roztok.
4. Za stálého míchání přidejte přísady z fáze CE. Míchejte, dokud nezískáte jednotnou konzistenci.
  5. Upravte pH kyselinou mléčnou na úroveň 5,0-5,5.



The information in the catalogue is believed to be accurate and to the best of our knowledge, but should be considered as introductory only. Detailed information about products is available in TDS and MSDS. Suggestions for product applications are based on our the best of our knowledge.

The responsibility for the use of products in conformity or otherwise with the suggested application and for determining product suitability for your own purposes rests with the user.

All copyright, trademark rights and other intellectual and industrial property rights and the resulting rights to use this publication and its contents have been transferred to PCC Rokita SA, PCC EXOL SA and other companies of the PCC Group or its licensors. All rights reserved.

Users/readers are not entitled to reproduce this publication in whole or in part, nor are they entitled to reproduce it (excluding reproduction for personal use) or to transfer it to third parties.

Permission to reproduce it for personal use does not apply in respect to data used in other publications, in electronic information systems, or in other media publications. PCC Rokita SA and PCC EXOL SA shall not be responsible for data published by users.

Please visit our capital group business platform  
to check full range of products for personal care.

**[www.products.pcc.eu](http://www.products.pcc.eu)**

PCC Group  
Sienkiewicza 4  
56-120 Brzeg Dolny  
Poland

e-mail: [products@pcc.eu](mailto:products@pcc.eu)

